## **Case Creation Option**

Case "10037772us20050713" already exists. Please overwrite it or cancel the operation.

## The Contents of Case "10037772us20050713"

| Qnum | Query  | DB Name                       | Thesaurus | Operator | Plural |
|------|--|-------------------------------|-----------|----------|--------|
| QÍ   | Captopril or ("Angiotensin - Converting Enzyme inhibitor") or (ACE-inhibitor) or ("peptidyl-dipeptidase A inhibitor") or benazepril or enalapril or fosinopril or lisinopril or quinapril or moexipril or ramipril or trandolaplil | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q2   | (peptidyl-dipeptidase Å) or<br>("Angiotensin converting<br>enzyme") or (ACE) or ("EC<br>3.4.15.1") or ("RN-9015-82-1")   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q3   | ((peptidyl-dipeptidase A) or<br>("Angiotensin converting<br>enzyme") or (ACE) or ("EC<br>3.4.15.1") or ("RN-9015-82-<br>1")) near5 (inhibitor or<br>modulator)   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q4   | ((peptidyl-dipeptidase A) or<br>("Angiotensin converting<br>enzyme") or (ACE) or ("EC<br>3.4.15.1") or ("RN-9015-82-<br>1")) near5 (inhibit\$7 or<br>modulat\$3)   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q5   | assay\$5 or evaluat\$6 or method or detect\$6 or determin\$7   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q6   | urine or blood or serum or plasma or (body fluid)  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q7   | Q1 same Q6   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q8   | Q1 same Q5   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q9   | Q3 same Q6   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q10  | Q4 same Q6   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
| Q11  | Q5 and Q10   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None      | ADJ      | YES    |
|      |  |                               |           |          | 7/4    |

| Q12 | Q5 and Q9  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
|-----|--|-------------------------------|------|-----|-----|
| Q13 | Q5 and Q7  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q14 | Q11 and Q13  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q15 | Q12 and Q14  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q16 | Q1 and Q5  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q17 | Q6 and Q16   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q18 | activity or presence   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q19 | Q5 same Q18  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q20 | Q1 and Q19   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q21 | Q3 and Q19   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q22 | Q4 and Q19   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q23 | Q20 and Q22  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q24 | · K21 and Q23  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q25 | Q21 and Q23  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q26 | Q6 and Q25   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q27 | patient or human or animal or individual   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q28 | Q27 and Q6   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q29 | Q8 and Q28   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q30 | ((peptidyl-dipeptidase A) or<br>("Angiotensin converting<br>enzyme") or (ACE) or ("EC<br>3.4.15.1") or ("RN-9015-82-<br>1")) near5 (inhibitor) | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q31 | Q30 and Q5   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q32 | (human or patient or (human<br>near5 patient)) near5 (urine or<br>blood or serum)  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q33 | Q31 and Q32  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q34 | @pd<20001109 and Q33   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q35 | Q1 and Q34   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q36 | ("RN-9041-90-1") or<br>(Angiotensin I) or Pepsitensin<br>or Proangiotensin   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q37 | Q3 and Q36   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
| Q38 | Q32 and Q37  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ | YES |
|     |  |                               |      | •   | -   |

| Q39 | Q1 and Q36   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
|-----|--|-------------------------------|--------|-----|-----|
| Q40 | Q32 and Q39  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q41 | Q8 and Q40   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q42 | @pd<20001109 and Q41   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q43 | captopril  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q44 | Q5 and Q43   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q45 | Q32 and Q44  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q46 | Q36 and Q44  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q47 | Q32 and Q46  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q48 | Q45 and Q47  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q49 | @pd<20001109 and Q48   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q50 | determine or detect  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q51 | Q50 and Q43  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q52 | Q32 and Q43  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q53 | Q51 and Q52  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q54 | @pd<20001109 and Q53   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q55 | ((peptidyl-dipeptidase A) or<br>("Angiotensin converting<br>enzyme") or (ACE) or ("EC<br>3.4.15.1") or ("RN-9015-82-<br>1")) | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q56 | Q55 and Q36  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q57 | Q55 and Q32  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q58 | Q36 and Q32  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None · | ADJ | YES |
| Q59 | Q57 and Q58  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q60 | Q51 and Q59  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q61 | Q51 and Q32  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q62 | Q60 and Q61  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q63 | @pd<20001109 and Q62   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q64 | (human or patient or (human<br>near5 patient)) near5 (urine or<br>serum)   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q65 | Q50 and Q55  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
| Q66 | Q36 and Q55  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None   | ADJ | YES |
|     | <del>-</del>   |                               |        |     |     |

|       |  | •                             |      | , ug | ,   |
|-------|--|-------------------------------|------|------|-----|
| Q67   | Q64 and Q66  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q68   | Q64 and Q65  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q69   | Q67 and Q68  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q70   | Q18 and Q43  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q71   | Q50 and Q70  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q72   | Q64 and Q71  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q73   | Q66 and Q72  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q74   | Q69 and Q73  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q75   | @pd<20001109 and Q74   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q76   | (captopril or (inhibitor of angiotensin converting enzyme) or enalapril or enalaprilat or lisinopril or ramipril or ramiprila) | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q77   | measure or monitor   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q78   | measure or monitor or quantify or determine  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q79   | Q78 and Q76  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q80   | Q79 and Q64  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| ' Q81 | @pd<20001109 and Q80   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q82   | @py>=1998<=20001109 and Q80  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q83   | @py>=1998<=2000 and Q80  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q84   | @py>=1999<=2000 and Q80  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q85   | Q76 same (serum or urine)  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q86   | Q78 same Q76   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q87   | Q85 same Q86   | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |
| Q88   | @py>=1999<=2000 and Q86  | PGPB,USPT,USOC,EPAB,JPAB,DWPI | None | ADJ  | YES |

Overwrite

Cancel